09/933, 606.

CAC



I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.

By Shirley a. Simples On 05-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.:

7,009,710

Atty Docket:

10010323-1

Certificate of Correction

Issued:

March 07, 2006

Inventor(s):

Sullivan et al.

Title:

DIRECT COMBINATION OF FIBER OPTIC LIGHT BEAMS

REQUEST FOR ISSUANCE OF CERTIFICATE OF CORRECTION

Attn: Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Sir:

Agilent Technologies, Inc., assignee of the entire interest in the above-identified patent, respectfully requests that a Certificate of Correction be issued in accordance with 37 C.F.R. 1.322 and/or 1.323.

Enclosed herewith is a completed copy of Form PTO/SB/44 describing the various errors involved in the above-identified patent.

- 1. The errors are a result of USPTO mistake. NO FEE is required.
- 2. The errors are a result of Applicant's mistake. \$100 Fee required.
- 3. The errors are a result of both USPTO and Applicant's mistakes. \$100 Fee required.

If boxes 2 or 3 above are checked, please charge the \$100.00 fee as set forth in 1.20(a), for Applicant's errors (37 C.F.R. 1.323), to our Deposit Account 50-1078. A duplicate copy of this letter is enclosed.

Issuance of a Certificate of Correction to correct these errors, which occurred in good faith is therefore respectfully requested. We shall appreciate your returning to us an executed copy of this Certificate of Correction for attachment to our Letters Patent.

Respectfully submitted,

June L Bouscaren Reg. No. 37,928

AGILENT TECHNOLOGIES, INC. Legal Department, DL 429 Intellectual Property Administration P.O. Box 7599 Loveland, Colorado 80537-0599 Phone No. (970)679-3238 Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

			Page 1	of 1
PATENT NO. : 7,009,710			, ugo <u></u>	
APPLICATION NO.: 09/933,606				
ISSUE DATE : March 7, 2006				
INVENTOR(S) : Sullivan et al.				
It is certified that an error is hereby corrected as shown b		ar in the above-identified	patent and that said Le	etters Patent
On the face page, in field (75), u Mountain View, CA (US)"	nder "Inventors", in colu	mn 1, line 1,after "Invento	rs:", delete "Mark Timoth	y Sullivan,
On the face page, in field (75), u Kittell, Stamford, CT (US)"	nder "Inventors", in colu	mn 1, line 5, after "Campb	ell, CA (US)", delete "Da	vid H.
On the face page, in field (56), and insert Takamiya et al,		ments", in column 2, line 4	, after "7/1994" delete "T	akamiya"
On the face page, in "Primary E insert Andrew Hwa Lee, th		ne 1, delete "Hwa (Andrew) Lee" and	

MAILING ADDRESS OF SENDER (Please do not use customer number below): Agilent Technologies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

•		Page <u>1</u>	of <u>1</u>
PATENT NO. :		_	
APPLICATION NO.:	09/933,606		

INVENTOR(S) : Sullivan et al.

ISSUE DATE

: March 7, 2006

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (75), under "Inventors", in column 1, line 1,after "Inventors:", delete "Mark Timothy Sullivan, Mountain View, CA (US)"

On the face page, in field (75), under "Inventors", in column 1, line 5, after "Campbell, CA (US)", delete "David H. Kittell, Stamford, CT (US)"

On the face page, in field (56), under "U.S. Patent Documents", in column 2, line 4, after "7/1994" delete "Takamiya" and insert - - Takamiya et al. - -, therefor.

On the face page, in "Primary Examiner", in column 2, line 1, delete "Hwa (Andrew) Lee" and insert - - Andrew Hwa Lee - -, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below): Agilent Technologies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.